


NTN BEARING CORPORATION OF AMERICA

Head Office


1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744


Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com
Item # UC205, Bearing Insert w/ Set Screw, Wide Inner Ring - Spherical O.D.

[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications
Type Insert Bearing

Bore Type Round

Bearing Type	Ball Bearing
Material	Through Hardened Steel
Limiting Speed - Grease	5900 RPM
Seal Type	Contact
Seal Material	Nitrile Rubber
Precision Rating	ISO Class 0
Performance	Standard Duty
Locking Device	Set Screw
Lubrication	Non-Relubricatable
Basic Outer Ring	205
Static Load Rating	1760 lbf 7850 N 7.85 kN
Dynamic Load Rating	3150 lbf 14000 N 14.00 kN
Enclosure	Double Sealed
Weight	0.441 lb 0.200 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications



Bearing Insert w/ Set Screw, Wide Inner Ring - Spherical O.D. - Dimensions

d	0.9843 in 25.000 mm
D	2.0472 in 52.000 mm
C	0.6693 in 17.000 mm
B	1.3425 in 34.100 mm
r	0.0394 in 1.000 mm
ds	M5x0.8
G	0.1969 in 5 mm
d4	1.3346 in 33.9 mm
S1	0.7795 in 19.8 mm
S	0.563 in 14.3 mm